

141 PALMER STREET RICHMOND, VIC 3121 T+61 3 8420 8950 F+61 3 8420 8900 GEOSYSTEMS.COM.AU

## MATERIAL SAFETY DATA SHEET - PAGE 1 OF 4

# P BASE

This product is classified as hazardous according to criteria of NOHSC

### Section 1 - Identification of the Material and Supplier

PRODUCT (MATERIAL) NAME: P BASE

**OTHER NAMES:** 

**RECOMMENDED USES:** Base component of general purpose epoxy adhesive & anchoring system

**SUPPLIER NAME/ADDRESS:** 

ESS Earth Sciences, 141 Palmer St, Richmond VIC 3121 (03) 8420 8999 FACSIMILE NUMBER: (03) **TELEPHONE NUMBER:** (03) 8420 8900 (03) 8420 8999 **EMERGENCY PHONE NUMBER:** (03) 9701 3955 0800-1700 Mon-Fri HOURS:

### Section 2 - Hazards Identification

**HAZARD CLASSIFICATION:** Classified as a HAZARDOUS SUBSTANCE according to criteria of NOHSC. Classified as DANGEROUS GOODS according to criteria of ADG Code.

**RISK PHRASES:** R36/38: Irritating to eyes and skin.

R43: May cause sensitisation by skin contact.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

**SAFETY PHRASES: S24/25:** Avoid contact with the skin and eyes.

**\$26**: In case of contact with eyes, rinse immediately with plenty of water and contact a doctor or Poisons Information Centre on 13 11 26 (Australia-wide). **S28:** After contact with skin, wash immediately with water (and soap if available) **\$36/37/39:** Wear suitable protective clothing, gloves and eye/face protection.

**S61:** Avoid release to the environment.

## Section 3 - Composition / Information on Ingredients

### **INGREDIENTS:**

Chemical Name:	Proportion:	CAS Number:	
Bisphenol A epoxy resin	> 60%	[25068-38-6]	
Crystalline silica (quartz)	1 - 10 %	[14808-60-7]	
Glycidyl ether	1 - 10 %	[16096-31-4]	
Inert fillers	10 - 60 %	[14807-96-6]	

Balance of formulation consists of ingredients below cut-off rates or ingredients determined not to be hazardous.

### Section 4 - First Aid Measures

**INHALATION:** If inhaled, remove patient from contaminated area to fresh air - avoid becoming

a casualty. Remove contaminated clothing and loosen remaining clothing. Lay patient down in a comfortable position, keep warm and rested. Seek medical attention if further symptoms develop. If not breathing, clear airway and apply artificial respiration

INGESTION: If swallowed, DO NOT induce vomiting. Rinse mouth with plenty of water. Seek

immediate medical advice from a doctor or the Poisons Information Centre

(13 11 26 Australia-wide).

If skin or hair contact occurs, remove all contaminated clothing and wash before reuse. Flush skin and/or hair with running water and soap if available. Seek SKIN:

medical assistance if irritation persists.

**EYES:** If product comes into contact with eyes, hold eyelids apart and flush the eye continuously with fresh running water. If pain persists or recurs seek medical

attention. Removal of contact lenses after an eye injury should only be

undertaken by skilled personnel. Eye wash and normal washroom facilities. **FIRST AID FACILITIES:** 

**ADVICE TO DOCTOR:** Treat symptomatically.

**POISON INFORMATION CENTRE** – 13 11 26 Australia-wide. This product is corrosive.



141 PALMER STREET RICHMOND, VIC 3121 T+61 3 8420 8950 F+61 3 8420 8900 **GEOSYSTEMS.COM.AU** 

## MATERIAL SAFETY DATA SHEET - PAGE 2 OF 4

### **Section 5 - Fire Fighting Measures**

**EXTINGUISHING MEDIA:** Water mist Cox, foam or dry powder.

**HAZARDS FROM COMBUSTION PRODUCTS:** 

Combustion will release toxic fumes, including carbon and nitrogen oxides.

SPECIAL PROTECTIVE PRECAUTIONS AND EQUIPMENT FOR FIRE FIGHTERS:

Heating can cause expansion or decompostion leading to violent rupture of containers. Keep containers cool with water spray. Fire fighters should wear self contained breathing apparatus if risk of exposure to vapour or products of combustion. Avoid bodily contact with substance or run off.

### Section 6 - Accidental Release Measures

**EMERGENCY PROCEDURES:** Product is slippery when spilt – avoid accidents by cleaning up any spills

immediately. Wear gloves, protective goggles and appropriate protective equipment to avoid eye and skin contact. Isolate and contain spill and soak up with inert material such as clay or sand. Prevent by any means possible the material from entering storm water drains, waterways, basements or workpits. C ollect in suitable containers and ensure these are correctly labelled. Ensure area

is thoroughly ventilated before recommencing work.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN UP:

Contain and collect spills as detailed above. Refer to State Land Waste

Management Authority for disposal considerations.

### Section 7 - Handling and Storage

PRECAUTIONS FOR SAFE HANDLING:

Wear protective goggles or face shield and rubber gloves and barrier cream to prevent eye and skin contamination. Contact lenses pose a special hazard as they may absorb irritants. Suitable protective clothing, PVC gloves and boots should be worn. Use in a well ventilated area, preferably outdoors. General exhaust is normally adequate. If risk of overexposure exists, wear SAA approved dust

CONDITIONS FOR SAFE STORAGE:

Keep containers tightly sealed when not in use. Store in a cool, dry, well

ventilated place out of direct sunlight. Keep away from strong acids, bases and

oxidising agents.

**INCOMPATIBILITIES:** No restrictions.

### Section 8 – Exposure Controls / Personal Protection

### **NATIONAL EXPOSURE STANDARDS:**

No exposure standards have been established for this product by NOHSC. Refer to limits for individual constituents

listed below:

**Bisphenol A epoxy resin –** none assigned for material, but contains Epichlorohydrin: TLV TWA: 0.1ppm,  $0.38mg/m^3$  – skin ES TWA: 0.1ppm, 0.4mg/m<sup>3</sup>

**BIOLOGICAL LIMIT VALUES: ENGINEERING CONTROLS:** 

Not established for the product.

If used in limited ventilation, ensure adequate ventilation to maintaine exposure levels are kept below standards, by using a local exhaust. Keep containers closed

**PERSONAL PROTECTION:** 

Avoid unnecessary contact as good work practice. Wash contaminated clothing and protective equipment before storing and reuse. Wash hands before eating,

smoking, or using the toilet.

**RESPIRATORY PROTECTION:** 

It is usually safe not to use respiratory protection. However, where engineering controls are not effective in controlling airborne exposure, the use of a mask or other device is appropriate. For assistance in selecting suitable equipment consult AS/NZ1715.

**EYE PROTECTION:** 

Eye protective measures are normally necessary, and are suggested when using

this product. Consult AS1336 and AS/NZ1337. Rubber, PVC or other protective gloves are necessary, and desirable, especially if **PROTECTIVE GLOVES:** this product is being used frequently or for lengthy periods. Consult AS2161 for

guidance.

**CLOTHING:** 

Clean overalls should be worn, preferably with an apron. Consult AS2919 for

clothing guidance.

**SAFETY FOOTWEAR:** 

Wearing safety boots is advisory. Consult AS/NZ2210 for advice on Occupational

Protective Footwear.



141 PALMER STREET RICHMOND, VIC 3121 T +61 3 8420 8950 F +61 3 8420 8900 GEOSYSTEMS.COM.AU

## **MATERIAL SAFETY DATA SHEET - PAGE 3 OF 4**

### Section 9 – Physical and Chemical Properties

APPEARANCE (COLOUR, PHYSICAL FORM, SHAPE):

Off white, soft paste

ODOUR: Nil SOLUBILITY: Insoluble

VAPOUR DENSITY:Not availableVAPOUR PRESSURE:NegligibleMELTING POINT:Not applicableBOILING POINT:Not available

FREEZING POINT: Not available SPECIFIC GRAVITY: 1.6

FLASH POINT: > 93°C UPPER FLAMMABLE LIMIT: Not established AUTOIGNITION TEMPERATURE: Unknown

VOLATILE ORGANIC COMPOUNDS (VOC) CONTENT: Nil.

### Section 10 – Stability and Reactivity

CHEMICAL STABILITY: Stable

**CONDITIONS TO AVOID:** Keep away from strong acids, bases and oxidising agents. No restrictions

INCOMPATIBLE MATERIALS: No restrictions HAZARDOUS DECOMPOSITION PRODUCTS:

On burning may emit toxic fumes, including carbon and nitrogen oxides.

HAZARDOUS REACTIONS: None

### **Section 11 – Toxicological Information**

**TOXICOLOGY INFORMATION:** No toxicity data is available for this product.

**HEALTH EFFECTS FROM THE LIKELY ROUTES OF EXPOSURE:** 

**INHALATION:** Not normally a hazard at normal temperatures, however at elevated

temperatures vapour may be irritating to respiratory system. Inhalation of

vapour may result in nausea and headache.

**INGESTION:** Swallowing may result in nausea, vomiting, abdominal pain and diarrhoea.

**SKIN:** Is irritating and may cause drying of the skin. May lead to dermatitis and in some

cases sensitisation. The material may accentuate pre-existing skin conditions.

Irritating and abrasive to the eyes and is capable of causing temporary

impairment of vision, eye inflammation and ulceration.

CHRONIC EFFECTS: May causes sensitisation in susceptible individuals by skin contact. Repeated or

prolonged skin contact may result in allergic contact dermatitis.

### **Section 12 – Ecological Information**

**ECOTOXICITY:** Not available

PERSISTENCE AND DEGRADIBILITY:

MOBILITY: Not available Not available

**ENVIRONMENTAL PROTECTION:** 

EYES:

Product is toxic to aquatic organisms, and may cause long-term adverse effects

in the aquatic environment. Avoid contaminating waterways.

### Section 13 - Disposal Considerations

### **DISPOSAL METHODS AND CONTAINERS:**

Refer to State Land Waste Management Authority. Empty containers must be decontaminated. Normally suitable for disposal at approved land waste site.

### **Section 14 - Transport Information**

This material is a Class 9 – Miscellaneous Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road, Rail and air. Class 9 Goods are incompatible in a placard load with dangerous goods of Class 1, Explosives.

UN NUMBER:
UN PROPER SHIPPING NAME:
DANGEROUS GOODS CLASS:
SUBSIDIARY RISK:
PACKING GROUP:
None assigned
None assigned
None assigned

SPECIAL PRECAUTIONS PER USER:

Keep containers tightly sealed, store in a cool, dry, well ventilated place out of

direct sunlight. Keep away from strong acids, bases and oxidising agents.

HAZCHEM CODE: None assigned



141 PALMER STREET RICHMOND, VIC 3121 T +61 3 8420 8950 F +61 3 8420 8900 GEOSYSTEMS.COM.AU

## **MATERIAL SAFETY DATA SHEET - PAGE 4 OF 4**

### **Section 15 - Regulatory Information**

POISON SCHEDULE: S5

OHS: Unregulated ENVIRONMENTAL: Unregulated

ADDITIONAL NATIONAL AND/OR INTERNATIONAL REGULATORY INFORMATION:

Unregulated

### Section 16 - Other Information

### DATE OF PREPARATION OR LAST REVISION OF MSDS:

1<sup>st</sup> March 2021

**CONTACT POINT:** ESS Earth Sciences

(03) 8420 8999

#### LITERATURE REFERENCES / SOURCES OF DATA:

Material Safety Data Sheets from Suppliers

List of Designated Substances - Worksafe Australia (on-line)

Australian Dangerous Goods Code 6<sup>th</sup> Edition

Standard for the Uniform Scheduling of Drugs and Poisons No 19

The information presented herein has been compiled from sources considered to be dependable and is accurate to the best of seller's knowledge, however seller makes no warranty whatsoever, expressed, implied, or of merchantability regarding to the accuracy of such data or the results to be obtained from the use thereof. Seller assumes no responsibility for injury to the buyer or third persons or for any damage to property. Buyer assumes all ricks